

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13	(713/187.ccls. or 713/188.ccls.) and @ad<"20000714" and @pd>"20041026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 13:08
S1	70647	operating adj system and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 15:12
S2	150	S1 and (virus or viral) and memory and emulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/05/12 13:44
S3	2563	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:24
S4	176	713/187.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:25
S5	138	713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:37
S6	7888	operating adj system.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:37
S7	7	S6 and (viral or virus).ti. and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:40

S8	2	"6357008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:52
S9	25	(artificial adj memory) and (operating adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:54
S10	0	S9 and (viral or virus) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:53
S11	14	S9 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 15:11
S12	0	S11 and (virus or viral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 14:54
S13	1	((artificial adj operating adj system) or (virtual adj operating adj system)) and (viral or virus) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 15:39
S14	2	"6357008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/27 11:03
S15	1	S14 and operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/27 11:03

S16	2	"5398196".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:22
S17	2	"5398196".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 14:22
S18	0	S17 and looping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:24
S19	61	dynamically adj linked and (viral or virus) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:25
S20	2	"6480962".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:34
S21	0	S20 and jump	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:34
S22	0	S20 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:34
S23	2	"5623600".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:35

S24	0	S23 and (jump or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:35
S25	0	(S20 or S23) and pointer\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/27 15:36
S26	14	(dynamically adj linked) and (jump adj table) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:58
S27	27	dll and (jump adj table) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:58
S28	21	S27 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 15:58
S29	2	"5398196".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:40
S30	1	S29 and operating adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:52
S31	0	operating adj system with (artificial or fake) adj memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:52

S32	0	operating adj system same (artificial or fake) adj memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:53
S33	0	os same (artificial or fake) adj memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:53
S34	0	(os or operating adj system) same (artificial\$3 or fake) adj memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:53
S35	3	(os or operating adj system) same (artificial\$3 or fake) with memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:55
S36	1158	(artificial\$3 or fake) with memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:55
S37	63	(artificial\$3 or fake) near memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56
S38	0	(artificial\$3 or fake) near memory same vir\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56
S39	15	(artificial\$3 or fake) near memory and vir\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/12 09:56

S40	809	(713/200.ccls. or 713/187.ccls. or 713/188.ccls.) and @ad<"20000714" and @pd>"20001026"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/05/12 13:46
S41	30	S40 and operating adj system same vir\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/05/12 13:46
S42	5	S40 and operating adj system with call\$2 same vir\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/05/12 13:47
S43	113	export adj table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:42
S44	8	export adj table with entry and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:21
S45	1	"5398196".pn. and loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:22
S46	6	loop\$3 with (viral or virus) with emulat\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:24
S47	7	detect\$3 near3 loop\$3 with (viral or virus) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:25

S48	3	detect\$3 near\$3 loop\$3 same (viral or virus) same emulat\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:26
S49	4	loop\$3 with determin\$3 near\$3 (viral or virus) same emulat\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:27
S50	0	looping with (viral or virus) same emulat\$3 and @ad<"20000714" not nachenberg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:27
S51	10	looping with (viral or virus) and @ad<"20000714" not nachenberg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:27
S52	1	looping with (viral or virus) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:28
S53	1	looping same (viral or virus\$2) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:28
S54	1	looping same (viral or virus\$2 or malicious) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:28
S55	58	loop\$3 same (viral or virus\$2) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:37

S56	9102	loop\$3 same (viral or virus\$2 or suspicious or malicious or flag\$4) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:37
S57	4301	loop\$3 with (viral or virus\$2 or suspicious or malicious or flag\$4) and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:38
S58	57	loop\$3 with (viral or virus\$2 or suspicious or malicious or flag\$4) with emulat\$3 and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:46
S59	0	loop\$3 with (viral or virus\$2 or suspicious or malicious or flagged) with emulat\$3 and @ad<"20000714" not nachenberg.in. not (dna or acid or protein or gene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:39
S60	77	726/24.ccls. and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:46
S61	1	S60 and looping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:47
S62	19	S60 and loop\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:47
S63	19	S62 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:02

S64	1	726/22.ccls. and looping and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:03
S65	26	726/22.ccls. and loop\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:03
S66	9	726/22.ccls. and loop\$3 and (viral or virus) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:03
S67	2	726/23.ccls. and @ad<"20000714" and looping	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:32
S68	140	detect\$4 near2 looping and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:33
S69	4	detect\$4 near2 looping and (viral or virus\$2 or harmful or malicious or suspicious) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:33
S71	272	determin\$3 near2 loop\$3 and (viral or virus\$2 or harmful or malicious or suspicious) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:35
S72	315	looping and (viral or virus\$2 or malicious or suspicious) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:36

S73	97	S72 not (acid or protein or gene or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:36
S74	606	(looping or iteration\$3 or repeat\$3 or repitition) same (viral or virus\$2 or malicious or suspicious) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:39
S75	262	(looping or iteration\$3 or repeat\$3 or repitition) with (viral or virus\$2 or malicious or suspicious) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:39
S76	5	(looping or iteration\$3 or repeat\$3 or repitition) with (viral or virus\$2 or malicious or suspicious) same emulat\$3 and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:40
S77	0	(looping or iteration\$3 or repititio\$3) with (viral or virus\$2 or malicious or suspicious) same emulat\$3 and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:40
S78	7	(looping or iteration\$3 or repititio\$3) with (viral or virus\$2 or malicious or suspicious) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:42
S79	64	(loop\$3 or iteration\$3 or repititio\$3) with (viral or virus\$2 or malicious or suspicious) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 15:59
S80	187	(recursiv\$3 or repeated\$3) with (viral or virus\$2) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:02

S81	2	(recursiv\$3 or repeated\$3) with (attempt\$3 or access\$4) with (viral or virus\$2) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:03
S82	2	(recursiv\$3 or repeated\$3) with (attempt\$3 or access\$4) with (viral or virus\$2) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:03
S83	5	monitor\$3 with (virus\$2 or viral) same loop\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:09
S84	44	(viral or virus\$2) near5 (characteristic\$2 or attribut\$3 or sign\$2) same loop\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:10
S85	1	(viral or virus\$2) near5 (characteristic\$2 or attribut\$3 or sign\$2) same loop\$3 and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:09
S86	56107	(characteristic\$2 or attribut\$3 or sign\$2) near5 loop\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:10
S87	2	(characteristic\$2 or attribut\$3 or sign\$2) near5 loop\$3 same (viral or virus\$2) and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:11
S88	8791	(characteristic\$2 or attribut\$3 or sign or signs) near5 loop\$3 and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:12

S89	15	(characteristic\$2 or attribut\$3 or sign or signs) near5 loop\$3 and @ad<"20000714" not (gene or protein or DNA) and (virus or viral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:17
S91	43	(viral or virus\$2) with loop\$3 and @ad<"20000714" not (gene or protein or DNA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:18
S92	32	(viral or virus\$2) with loop\$3 and @ad<"20000714" not (gene or protein or DNA) not nachenberg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:20
S93	0	(viral or virus\$2) and (suspicious or malicious) with loop\$3 and @ad<"20000714" not (gene or protein or DNA) not nachenberg.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 13:08